	Hits	Search Text	DBs
1	1	modulat$7 and isi and pre$1equali$7 and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"6084919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2	"5822359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	(isi with pre$1equali$7) and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	(isi with pre$1equali$7) and cdma and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(isi near30 pre$1equali$7) and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	((isi or ici) near30 pre$1equali$7) and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	((isi or ici or (inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) near30 pre$1equali$7) and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	27	(((((inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) or isi or ici) same pre$1equali$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	8	(((((inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) or isi or ici) and pre$1equali$7) and (spread$7 or pn or walsh or pseudo$1cod$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	(("6,084,919") or ("5,822,359")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	21	(((((inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) or isi or ici) with pre$1equali$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(375/141,145,146,242,253,254,285,295,260,130,140,259, 341/143,126, 370/209,335,342,441,208,203,329,328,310, 455/562.1,422.1,561,550.1,73,403).ccls. and modulat$7 and isi and pre$1equali$7 and spread$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	2	((((inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) or isi or ici) near30 pre$1equali$7) and (spread$7 or pn or walsh or pseudo$1cod$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	2	((isi or ici or (inter$1cod$3 or inter$1symbol$7 or (inter near2 (symbol$7 or cod$3)) near2 interferenc$7)) near30 pre$1equali$7) and (spread$7 or pn or walsh or pseudo$1cod$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB